

1. Product and Company Identification			
Product Code:	4530		
Product Name:	SOLAR POWER	Revision: 07/06/2017	
		Supersedes Revision: 01/11/2016	
Manufacturer Information:			
Company Name:	PDQ Manufacturing, Inc.	Phone Number:	
	201 Victory Circle	(706)636-1848	
	Ellijay, GA 30540		
Web site address:	www.pdqonline.com		
Emergency Contact:	Chemtrec, Reference: CCN203605	(800)424-9300	
Information:	info@pdqonline.com	(706)636-1848	
Supplier Name and Address:	ProChem Solutions		
	14605 49th St N.Unit 29 Clearwater, FL 33672	Phone Number:	
Web site address:	prochemsolutions.com	800-681-6009	
	sales@prochemsolutions.com		
	2. Hazards Identification		

Corrosive To Metals, Category 1 Skin Corrosion/Irritation, Category 1A Serious Eye Damage/Eye Irritation, Category 1



GHS Signal Word:	Danger
GHS Hazard Phrases:	H290 - May be corrosive to metals.
	H314 - Causes severe skin burns and eye damage.
	H318 - Causes serious eye damage.
GHS Precaution Phrases:	P234 - Keep only in original container.
	P264 - Wash hands thoroughly after handling.
	P280 - Wear protective gloves/protective clothing/eye protection.
GHS Response Phrases:	P301+330+331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
	P303+361+353 - IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
	P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
	P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison control center
	or physician for treatment advice. Have product container or label with you when calling poison control center or physician.
	P310 - Immediately call a POISON CENTER or doctor/physician.
	P321 - Specific treatment see appropriate section of the SDS.
	P363 - Wash contaminated clothing before reuse.
	P390 - Absorb spillage to prevent material damage.
GHS Storage and Disposal	P405 - Store locked up.
Phrases:	P501 - Dispose of contents/container to trash after rinsing container.

SAFETY DATA SHEET SOLAR POWER

Potential He (Acute and (
Inhalation:	Smonic).	Causes chemical hums to t	the respiratory tract. May be harmful if inhaled.
Skin Contac	t:	Causes skin burns. May ca	and clammy skin with cyanosis or pale color.
Eye Contact	:	Causes eye burns. May ca	use chemical conjunctivitis and corneal damage.
Ingestion:			manent damage to the digestive tract. Causes gastrointestinal pain, nausea, vomiting, diarrhea, and shock.
	3	. Composition/Info	rmation on Ingredients
CAS #	Hazardous Com	ponents (Chemical Name)	Concentration
1310-73-2	Sodium hydroxid	e {Caustic soda; Lye solution}	30.0 -50.0 %
6419-19-8	Methylene phosp nitrilotris(methyle	honic acid {Phosphonic acid, ne)tris-}	1.0 -5.0 %
		4. First A	id Measures
Emergency a Procedures:	and First Aid		
In Case of In	halation:	If inhaled, remove to fresh a difficult, call a physician.	air. If breathing is difficult, give oxygen. If breathing becomes
In Case of S	kin Contact:		tter for at least 15 minutes while removing contaminated clothing before reuse. Consult a physician.
In Case of E	ye Contact:	In case of contact, immedia Get medical aid immediatel	itely flush eyes with plenty of water for a t least 15 minutes. y.
In Case of In	gestion:	Get medical aid immediatel give anything by mouth to a	y. If victim is fully conscious, give a cupful of water. Never an unconscious person.
		5. Fire Figh	ting Measures
Flash Pt:		NP Method Used: Estim	nate
Explosive Li	mits:	LEL: No data.	UEL: No data.
Autoignition	Pt:	No data.	
Suitable Ext	inguishing Medi		ole; use agent most appropriate to extinguish surrounding fire. ontainers. Use water spray, dry chemical, carbon dioxide, or
Fire Fighting	g Instructions:	MSHA/NIOSH (approved o keep fire-exposed containe Contact with metals may ev	contained breathing apparatus in pressure-demand, ir equivalent), and full protective gear. Use water spray to ers cool. Use water with caution and in flooding amounts. volve flammable hydrogen gas. Wear self contained breathing necessary. Material will not burn.
Flammable I Hazards:	Properties and	No data available.	

SOLAR POWER

		6. Accide	ntal Release Me	easures	
Steps To Be Material Is R Spilled:	Taken In Case eleased Or	Use proper personal protective equipment as indicated in Section 8. Spills/Leaks: Avoid runoff into storm sewers and ditches which lead to waterways. Clean up spills immediately, observing precautions in the Protective Equipment section. Personal precautions. Use personal protective equipment. Ensure adequate ventilation.			
			enter drains. ng up. je disposal without crea b spill with inert materi	ating dust. Keep in suitab al (e.g. vermiculite, sand	
		7. Ha	ndling and Stor	age	
Precautions Handling:	To Be Taken in	container tightly clo Avoid contact with Normal measures f	sed. Avoid ingestion a skin and eyes. Avoid fo	et in eyes, on skin, or on nd inhalation. Discard co ormation of dust and aerc ction. No special handlin	ntaminated shoes. psols.
Precautions Storing:	To Be Taken in	incompatible substa	ances. Corrosives area	n a cool, dry, well-ventilat . Keep away from acids. oscopic. No special stora	Store protected from
	8.	Exposure Co	ontrols/Persona	al Protection	
CAS #	Partial Chemical	Name	OSHA TWA	ACGIH TWA	Other Limits
1310-73-2	Sodium hydroxide solution}	{Caustic soda; Lye	PEL: 2 mg/m3	CEIL: 2 mg/m3	No data.
6419-19-8	Methylene phosph	nonic acid	No data.	No data.	No data.

{Phosphonic acid nitrilotris(methyler	
Respiratory Equipment (Specify Type):	Respirator protection is not normally required.
Eye Protection:	Wear chemical splash goggles.
Protective Gloves:	Wear appropriate protective gloves to prevent skin exposure.
Other Protective Clothing:	Wear appropriate protective clothing to prevent skin exposure. Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Engineering Controls (Ventilation etc.):	Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. There are no special ventilation requirements.
Work/Hygienic/Maintenance Practices:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

	9. Physical and Chemical Properties
Physical States:	[]Gas [X]Liquid []Solid
Appearance and Odor:	Opaque, viscous, fluorescent yellow liquid Surfactant odor.
Melting Point:	215.00 C
Boiling Point:	100.00 C
Autoignition Pt:	No data.
Flash Pt:	NP Method Used: Estimate
Explosive Limits:	LEL: No data. UEL: No data.
Specific Gravity (Water = 1)	: ~ 1.4
Vapor Pressure (vs. Air or	No data.
mm Hg):	
Vapor Density (vs. Air = 1):	No data.
Evaporation Rate:	No data.
Solubility in Water:	Complete
Viscosity:	High
pH:	> 12.5
Percent Volatile:	No data.
	10. Stability and Reactivity
Stability:	Unstable [] Stable [X]
Conditions To Avoid - Instability:	Avoid contact with acids, reducing agents, oxidizers, nitrogen oxides, amines, ammonia or other nitrogen containing compounds.
Incompatibility - Materials T Avoid:	o Sulfur oxides. Metals. Acids, Aluminum, Zinc, gelatin, nitromethane, leather, flammable liquids, organic halogens.
Hazardous Decomposition Byproducts:	or Toxic fumes of sodium oxide.
Possibility of Hazardous Reactions:	Will occur [] Will not occur [X]
Conditions To Avoid - Hazardous Reactions:	No data available.
	11. Toxicological Information
Toxicological Information:	No data available.
CAS # Hazardous Co	mponents (Chemical Name) NTP IARC ACGIH OSHA
1310-73-2 Sodium hydrox	de {Caustic soda; Lye solution} n.a. n.a. n.a. n.a.
6419-19-8 Methylene phos nitrilotris(methy	sphonic acid {Phosphonic acid, n.a. n.a. n.a. n.a. n.a. lene)tris-}

12. Ecological Information

No data available.

	13. Disposal Considerations
Waste Disposal Method:	Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification. RCRA P-Series: None listed. RCRA U-Series: None listed. Observe all federal, state, and local environmental regulations. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging. Dispose of as unused product.

14. Transport Information

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name:	Corrosive liquid	, basic, inorganic, n.o.s. (Sodium hydroxide)	
DOT Hazard Class:	8	CORROSIVE	
UN/NA Number:	UN3266	Packing Group:	П

15. Regulatory Information

EPA SARA (S	uperfund Amendments and Reauthorization Act of	of 1986) Lists		
CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
1310-73-2	Sodium hydroxide {Caustic soda; Lye solution}	No	Yes 1000 LB	No
6419-19-8	Methylene phosphonic acid {Phosphonic acid, nitrilotris(methylene)tris-}	No	No	No
CAS #	Hazardous Components (Chemical Name)	Other US EPA or	State Lists	
CAS # 1310-73-2	Hazardous Components (Chemical Name) Sodium hydroxide {Caustic soda; Lye solution}		No; CWA NPDES: N	lo; TSCA: Yes -

1310-73-2	Sodium hydroxide	e {Caustic soda; Lye solu	Inventory; CA PROP.65: No
6419-19-8	Methylene phosp nitrilotris(methyle		acid, CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No
		16. Oth	ner Information
Revision Dat	te:	07/06/2017	
Preparer Na	me:	Regulatory Affairs	
Hazard Ratin	ng System:	HEALTH	2

HEALTH	2	
FLAMMABILITY	0	
REACTIVITY	2	
PPE	C	!

Additional Information About No data available. This Product:

HMIS:

Company Policy or Disclaimer:

The information contained in this Safety Data Sheet is provided pursuant to current OSHA regulations to convey information concerning the hazardous nature of the named

SOLAR POWER

product. The information supplied was compiled from the most reliable sources available at the time of preparation and in light of the most reasonable foreseeable exposure situations expected from the intended use of this product. The material(s) may present greater or lesser hazard exposure under other circumstances that are beyond the control of the manufacturer. Therefore it is imperative that all directions and warnings on the product label be read and closely followed.