

Safety Data Sheet

SECTION 1: Identification

Product identifier

Product name StainSolve D

Product number 214

Brand Crown Chemical, Inc.

Address 4701 W. 136th. St. Crestwood, Illinois 60418 U.S.A. Telephone and email 708-371-6990, 708-371-6992, info@crown-chem.com

1.2 Other means of identification

StainSolve D

1.3 Recommended use of the chemical and restrictions on use

Laundry stain remover

1.4 Supplier's details

Name ProChem Solutions, Inc. Address 14605 49th St N Unit 29

14605 49th St N.Unit 29 ProChem Solutions

Clearwater FL, 33762,

U.S.A.

Telephone 800-681-6009

email sales@prochemsolutions.com

1.5 Emergency phone number(s)

800-355-5053

SECTION 2: Hazard identification

General hazard statement

Causes serious eye damage; Causes severe skin burns and eye damage; Harmful if swallowed

2.1 Classification of the substance or mixture

GHS classification in accordance with: (US) OSHA (29 CFR 1910.1200)

- Eye damage/irritation, Cat. 1
- Skin corrosion/irritation, Cat. 1A
- Acute toxicity, oral, Cat. 4

2.2 GHS label elements, including precautionary statements

Pictogram





1. Corrosion; 2. Exclamation mark

Signal word Danger

Hazard statement(s)

H318 Causes serious eye damage

H314 Causes severe skin burns and eye damage

H302 Harmful if swallowed

Precautionary statement(s)

P280 Wear eye protection/face protection/protective gloves/protective clothing.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor for treatment advice.

P260 Do not breathe dust/fume/gas/mist/vapors/spray. P264 Wash hands & skin thoroughly after handling.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water/shower.

P363 Wash contaminated clothing before reuse.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P405 Store locked up.

P501 Dispose of contents and container in accordance with all local, state, national and

international regulations.

P270 Do not eat, drink or smoke when using this product.

P301+P312 IF SWALLOWED: Call a POISON CENTER /doctor if you feel unwell.

P330 Rinse mouth.

2.3 Other hazards which do not result in classification

None identified

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Corrosive Mixture

Components

1. Potassium hydroxide

Concentration 1 - 5 % (By Weight)

EC no. 215-181-3 CAS no. 1310-58-3 Index no. 019-002-00-8

- Skin corrosion/irritation, Cat. 1A

- Acute toxicity, oral, Cat. 4

H302 Harmful if swallowed

H314 Causes severe skin burns and eye damage

2. Ethanolamine

Concentration 1 - 5 % (By Weight)

EC no. 205-483-3 CAS no. 141-43-5 Index no. 603-030-00-8

Acute toxicity, inhalation, Cat. 4
Acute toxicity, dermal, Cat. 4
Acute toxicity, oral, Cat. 4
Skin corrosion/irritation, Cat. 1B

H302 Harmful if swallowed

H312 Harmful in contact with skin

H314 Causes severe skin burns and eye damage

H332 Harmful if inhaled

3. 2-Butoxyethanol

Concentration 3 - 8 % (By Weight)

EC no. 203-905-0 CAS no. 111-76-2 Index no. 603-014-00-0

- Skin corrosion/irritation, Cat. 2

- Serious eye damage/eye irritation, Cat. 2

- Acute toxicity, dermal, Cat. 4 - Acute toxicity, inhalation, Cat. 4 - Acute toxicity, oral, Cat. 4

H302 Harmful if swallowed

H312 Harmful in contact with skin H315

Causes skin irritation

H319 Causes serious eve irritation

Harmful if inhaled H332

Trade secret statement (OSHA 1910.1200(i))

The specific chemical identities and/or actual concentrations for one or more components are being withheld as trade secrets under the US regulation 29 CFR 1910.1200(i).

SECTION 4: First-aid measures

4.1 **Description of necessary first-aid measures**

Do not breathe dust or mists. Wash hands thoroughly after handling. Do not eat, General advice

drink or smoke when using this product.

Product can absorb through the skin and cause internal damage which is not immediately apparent. Wear protective rubber gloves and chemical splash goggles or face shield when using this product. If inhalable particles of dusts or mists may occur during use, wear NIOSH approved respiratory protection. Mix ONLY with

water.

If inhaled Remove person to fresh air and keep comfortable for breathing. Immediately call a

Poison Control Center or doctor for treatment advice.

In case of skin contact Take off immediately all contaminated clothing. Rinse skin with water. Wash

contaminated clothing before reuse. Immediately call a Poison Control Center or

doctor for treatment advice.

Rinse cautiously with water for several minutes. Remove contact lenses, if present In case of eye contact

and easy to do. Continue rinsing. Immediately call a Poison Control Center or

doctor for treatment advice.

If swallowed Rinse out mouth. Do NOT induce vomiting. Immediately call a Poison Control

Center or doctor for treatment advice.

Personal protective equipment for first-aid responders

Self-contained breathing apparatus.

4.2 Most important symptoms/effects, acute and delayed

See Section 11 for additional information.

4.3 Indication of immediate medical attention and special treatment needed, if necessary

Treat exposure symptomatically. In all cases of eye contact, ingestion, or inhalation, contact a doctor or Poison Control Center immediately.

SECTION 5: Fire-fighting measures

5.1 Suitable extinguishing media

Use water spray, fog or foam.

5.2 Specific hazards arising from the chemical

None known

5.3 Special protective actions for fire-fighters

Remove all persons from the vicinity. No responsive action should be taken without proper training.

Further information

Use water spray to cool unopened containers.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Initiate spill containment procedures immediately using containment or absorbtion methods. Keep people away from area. Put on appropriate protective equipment (see Section 8).

6.2 Environmental precautions

See Section 12 for ecological Information.

6.3 Methods and materials for containment and cleaning up

Do not allow spilled material to enter sewers, waterways or soil. Neutralize with water. Mop, sweep or otherwise collect spilled material and hold for disposal. Consult local government authorities for allowable disposal methods. After removal, rinse area completely with water to remove residue.

Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid contact with eyes, skin or clothing. Avoid inhalation of vapor or mists. Use in a well ventilated area. Wash thoroughly after handling. Do not eat, drink or smoke when using this product.

7.2 Conditions for safe storage, including any incompatibilities

Store in a locked location inaccessible to small children. Keep container closed when not in use. Store in a well ventilated area between 60-100°F (15- 38°C).

Specific end use(s)

Apart from the uses mentioned in section 1 no other specific uses are stipulated.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

1. Potassium hydroxide (CAS: 1310-58-3 EC: 215-181-3)

PEL-C (Inhalation): 2 mg/m3; USA (ACGIH)

Upper Respiratory Tract irritation, Eye irritation, Skin irritation

PEL-C (Inhalation): 2 mg/m3; USA (NIOSH)

PEL-C (Inhalation): 2 mg/m3; USA (Cal/OSHA)

2. Ethanolamine (CAS: 141-43-5)

PEL (Inhalation): 6 mg/m3 (OSHA)

OSHA Annotated Table Z-1, www.osha.gov

PEL (Inhalation): 3 ppm, (ST) 6 ppm (Cal/OSHA) OSHA Annotated Table Z-1, www.osha.gov

REL (Inhalation): 3 ppm, (ST) 6 ppm (NIOSH) OSHA Annotated Table Z-1, www.osha.gov

TLV® (Inhalation): 3 ppm (ACGIH)

Eye irritation. Skin irritation

STEL (Inhalation): 6 ppm (ACGIH)

Eye irritation. Skin irritation

3. 2-Butoxyethanol (CAS: 111-76-2 EC: 203-905-0)

PEL (Inhalation): 240 mg/m3 (OSHA) OSHA Annotated Table Z-1, www.osha.gov

PEL (Inhalation): 20 ppm (Cal/OSHA)
OSHA Annotated Table Z-1, www.osha.gov

REL (Inhalation): 5 ppm (NIOSH)

OSHA Annotated Table Z-1, www.osha.gov

PEL (Inhalation): 20 ppm

97 mg/m3

California permissible exposure limits for chemical contaminants

(Title 8, Article 107)/Skin

TWA (Inhalation): 50 ppm 240 mg/m3; USA (OSHA)

USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air

Contaminants/Skin designation The value in mg/m3 is approximate

TWA (Inhalation): 5 ppm 24 mg/m3: USA (NIOSH)

USA. NIOSH Recommended Exposure Limits/Potential for dermal absorption

TWA (Inhalation): 20 ppm; USA (ACGIH)

USA. ACGIH Threshold Limit Values (TLV)/Upper Respiratory Tract irritation Eye irritation Substances for which there is a Biological Exposure Index or Indices (see BEI® section) Confirmed animal carcinogen with unknown relevance to humans

TLV® (Inhalation): 20 ppm; USA (ACGIH) OSHA Annotated Table Z-1, www.osha.gov

8.2 Appropriate engineering controls

Use with adequate ventilation to maintain exposure limits below listed thresholds.

8.3 Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

Wear chemical splash goggles or face shield when using this product.

Skin protection

Wear protective rubber gloves, a long sleeve shirt and, if necessary, a rubber apron to prevent contact.

Body protection

Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Avoid contact with clothing or shoes. Wash contaminated items before reuse. Avoid wearing contact lenses when using this product.

Respiratory protection

Wear a NIOSH approved respirator for corrosive dusts or mists.

Thermal hazards

No data available.

Environmental exposure controls

Do not let product enter drains.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance/form (physical state, color, etc.)

Odor

Odor threshold

рΗ

Melting point/freezing point

Initial boiling point and boiling range

Flash point
Evaporation rate
Flammability (solid, gas)
Upper/lower flammability limits
Upper/lower explosive limits

Vapor pressure Vapor density Relative density Solubility(ies)

Partition coefficient: n-octanol/water

Auto-ignition temperature Decomposition temperature

Viscosity

Explosive properties Oxidizing properties

Other safety information

No data available.

Yellow-Green Liquid

Characteristic

No data available.

>11.5 (1% solution)

No data available.

No data available.

Non-Combustible

No data available.

>1.0

100% in 120°F Water No data available. No data available.

>1.0

No data available. No data available.

No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

Product may react when diluted with water to produce heat up to boiling temperature. Product is highly reactive with acids. Reactions may produce hazardous conditions, including violent splattering of corrosive materials. NEVER mix this product with other chemicals. Mix this product ONLY with water.

10.2 Chemical stability

Product is stable under normal storage and usage conditions.

10.3 Possibility of hazardous reactions

No data available.

10.4 Conditions to avoid

Heat, flames and sparks. Incompatible products. Keep away from open flames, hot surfaces and sources of ignition.

10.5 Incompatible materials

Acid, metals.

10.6 Hazardous decomposition products

None are expected under normal storage and usage conditions.

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity

Eyes, Skin, Ingestion, Inhalation

Skin corrosion/irritation

Irritation, pain, redness, blistering.

Serious eve damage/irritation

Irritation, pain, redness, watering.

Respiratory or skin sensitization

Coughing, choking, respiratory tract irritation, breathing difficulty.

Germ cell mutagenicity

No data available.

Carcinogenicity

No data available.

Reproductive toxicity

No data available.

STOT-single exposure

No data available.

STOT-repeated exposure

No data available.

Aspiration hazard

No data available.

Additional information

No known significant effects or critical hazards.

SECTION 12: Ecological information

Toxicity

No specific data available for this mixture. Potassium Hydroxide and Ethanolamine are known to be toxic to aquatic life.

Persistence and degradability

No data available on product.

Bioaccumulative potential

No data available on product

Mobility in soil

No data available.

Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

Other adverse effects

No known significant effects or critical hazards.

SECTION 13: Disposal considerations

Disposal of the product

Avoid disposal of this product. Use complete contents according to directions. Do not release contents into a municipal sewer except through normal dilution and usage.

Other disposal recommendations

Avoid disposal of this product. Use complete contents according to directions. Do not release contents into a municipal sewer except through normal dilution and usage. Do not release contents onto the ground or into any body of water. Dispose of empty container by offering for recycling if available, or into a landfill. Follow all applicable state and local regulations.

SECTION 14: Transport information

DOT (US)

UN Number: NA 1760

Class: 8

Packing Group: III

Proper Shipping Name: NA 1760, Compounds, Cleaning Liquid, 8, PG II (Contains Potassium Hydroxide)

Reportable quantity (RQ): Potassium Hydroxide

Right-To-Know Hazardous Chemicals: Potassium Hydroxide, Ethylene Glycol Butyl Ether, Ethanolamine

Note: Certain package sizes of this product may qualify for exceptions to DOT's packaging, labeling and other requirements, and thus may have different DOT shipping names. For bulk shipments, see the shipping documents.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313: Ethylene glycol monobutyl ether, CAS: 111-76-2

SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

Potassium hydroxide, CAS-No. 1310-58-3 Ethylene glycol monobutyl ether, CAS: 111-76-2 Ethylene glycol monobutyl ether, CAS: 111-76-2

Pennsylvania Right To Know Components

Potassium hydroxide, CAS-No. 1310-58-3 Ethanolamine, CAS number: 141-43-5 Ethylene glycol monobutyl ether, CAS: 111-76-2

Emplene glycol monobatyl ether, CAS. 111-70-

New Jersey Right To Know Components

Potassium hydroxide, CAS-No. 1310-58-3 Ethanolamine, CAS number: 141-43-5

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

SECTION 16: Other information

The information herein is believed to be correct, but is given without warranty or guaranty of any kind, express or implied. The hazards provided in this Safety Data Sheet apply to the product in its concentrated form, and may differ significantly after dilution.

16.1 Further information/disclaimer

DISCLAIMER: The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigation to determine the suitability of information for their particular purposes. In no event shall Crown Chemical, Inc. be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, whatsoever arising, even if Crown Chemical, Inc. has been advised of the possibility of such damages.