

## Safety Data Sheet

### SECTION 1: Identification

#### Product identifier

Product name	<b>StainSolve B</b>
Product number	212
Brand	Crown Chemical, Inc.
Address	4701 W. 136th. St. Crestwood, Illinois 60418 U.S.A.
Telephone and email	708-371-6990, 708-371-6992, info@crown-chem.com

#### 1.2 Other means of identification

StainSolve B

#### 1.3 Recommended use of the chemical and restrictions on use

Grease and oil stain remover for laundry

#### 1.4 Supplier's details

Name	ProChem Solutions, Inc.
Address	10294 US HWY 19 N, STE 400 Pinellas Park, FL 33782 U.S.A.
Telephone	800-681-6009
email	admin@prochemsolutions.com

#### 1.5 Emergency phone number(s)

800-355-5053

### SECTION 2: Hazard identification

#### General hazard statement

Causes skin irritation; Causes serious eye irritation; Flammable liquid and vapor.

#### 2.1 Classification of the substance or mixture

##### GHS classification in accordance with: (US) OSHA (29 CFR 1910.1200)

- Skin corrosion/irritation, Cat. 2
- Eye damage/irritation, Cat. 2A
- Flammable liquids, Cat. 3

#### 2.2 GHS label elements, including precautionary statements

##### Pictogram



1. Exclamation mark; 2. Flame

##### Signal word

##### Warning

##### Hazard statement(s)

H315	Causes skin irritation
H319	Causes serious eye irritation
H226	Flammable liquid and vapor

# Safety Data Sheet

## StainSolve B

### Precautionary statement(s)

P264	Wash hands & skin thoroughly after handling.
P280	Wear protective gloves/eye protection/face protection.
P302+P352	IF ON SKIN: Wash with plenty of water/Take off immediately contaminated clothing and wash it before reuse. Call a poison control center or doctor for treatment advice if irritation persists.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.
P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting/ equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P370+P378	In case of fire: Use chemical foam, carbon dioxide or water spray to extinguish.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents and container in accordance with all local, state, national and international regulations.

### 2.3 Other hazards which do not result in classification

None identified

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Irritant Mixture; Flammable Mixture

#### Components

##### 1. 2-Butoxyethanol

Concentration	20 - 30 % (By Weight)
EC no.	203-905-0
CAS no.	111-76-2
Index no.	603-014-00-0

- Skin corrosion/irritation, Cat. 2
- Serious eye damage/eye irritation, Cat. 2
- Acute toxicity, dermal, Cat. 4
- Acute toxicity, inhalation, Cat. 4
- Acute toxicity, oral, Cat. 4

H302	Harmful if swallowed
H312	Harmful in contact with skin
H315	Causes skin irritation
H319	Causes serious eye irritation
H332	Harmful if inhaled

##### 2. Naphtha (petroleum), heavy alkylate

Concentration	40 - 50 % (By Weight)
CAS no.	64741-65-7

- Carcinogenicity, Cat. 1B
- Germ cell mutagenicity, Cat. 1B
- Aspiration hazard, Cat. 1

H304	May be fatal if swallowed and enters airways
H340	May cause genetic defects [route]
H350	May cause cancer [route]

# Safety Data Sheet

## StainSolve B

### Trade secret statement (OSHA 1910.1200(i))

The specific chemical identities and/or actual concentrations for one or more components are being withheld as trade secrets under the US regulation 29 CFR 1910.1200(i).

## SECTION 4: First-aid measures

### 4.1 Description of necessary first-aid measures

General advice	Do not breathe dust or mists. Wear protective rubber gloves and chemical splash goggles when using this product. Mix ONLY with water. Wash thoroughly after handling. Keep away from heat, sparks, open flame and hot surfaces. No smoking. Keep container tightly closed. Ground container and receiving equipment. Take precautionary measures against static discharge.
If inhaled	Remove person to fresh air and keep comfortable for breathing. Immediately call a Poison Control Center or doctor for treatment advice.
In case of skin contact	Wash with plenty of water. Take off contaminated clothing and wash before reuse. Call a Poison Control Center or doctor for treatment advice if irritation persists.
In case of eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a Poison Control Center or doctor for treatment advice.
If swallowed	Rinse out mouth. Do NOT induce vomiting. Call a Poison Control Center or doctor if you feel unwell.
Personal protective equipment for first-aid responders	Self-contained breathing apparatus.

### 4.2 Most important symptoms/effects, acute and delayed

Treat exposure symptomatically. In all cases where large quantities have been ingested or inhaled, contact a doctor or Poison Control Center immediately.

### 4.3 Indication of immediate medical attention and special treatment needed, if necessary

No data available.

## SECTION 5: Fire-fighting measures

### 5.1 Suitable extinguishing media

Use chemical foam, carbon dioxide or water spray

### 5.2 Specific hazards arising from the chemical

None Known

### 5.3 Special protective actions for fire-fighters

Self-contained breathing apparatus.

#### Further information

Remove all persons from the vicinity. No responsive action should be taken without proper training.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Initiate spill containment procedures immediately using containment or absorption methods. Keep people away from area. Put on appropriate protective equipment (see Section 8).

### 6.2 Environmental precautions

See Section 12 for ecological Information.

# Safety Data Sheet

## StainSolve B

### 6.3 Methods and materials for containment and cleaning up

Do not allow spilled material to enter sewers, waterways or soil. Neutralize with water. Mop, sweep or otherwise collect spilled material and hold for disposal. Consult local government authorities for allowable disposal methods. After removal, rinse area completely with water to remove residue.

#### Reference to other sections

For disposal see section 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Avoid contact with eyes, skin or clothing. Avoid inhalation of dust or mists. Use in a well ventilated area. Wash thoroughly after handling.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep containers tightly closed when not in use. Store in a well ventilated area inaccessible to small children. Store between 50-100°F (15- 38°C). Keep away from heat, sparks, open flame and hot surfaces. Ground container and receiving equipment. Take precautionary measures against static discharge.

#### Specific end use(s)

Apart from the uses mentioned in section 1 no other specific uses are stipulated.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### 1. 2-Butoxyethanol (CAS: 111-76-2 EC: 203-905-0)

PEL (Inhalation): 240 mg/m<sup>3</sup> (OSHA)

OSHA Annotated Table Z-1, [www.osha.gov](http://www.osha.gov)

PEL (Inhalation): 20 ppm (Cal/OSHA)

OSHA Annotated Table Z-1, [www.osha.gov](http://www.osha.gov)

REL (Inhalation): 5 ppm (NIOSH)

OSHA Annotated Table Z-1, [www.osha.gov](http://www.osha.gov)

PEL (Inhalation): 20 ppm

97 mg/m<sup>3</sup>

California permissible exposure limits for chemical contaminants  
(Title 8, Article 107)/Skin

TWA (Inhalation): 50 ppm

240 mg/m<sup>3</sup>; USA (OSHA)

USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air

Contaminants/Skin designation

The value in mg/m<sup>3</sup> is approximate

TWA (Inhalation): 5 ppm

24 mg/m<sup>3</sup>; USA (NIOSH)

USA. NIOSH Recommended Exposure Limits/Potential for dermal absorption

TWA (Inhalation): 20 ppm; USA (ACGIH)

USA. ACGIH Threshold Limit Values (TLV)/Upper Respiratory Tract irritation Eye irritation Substances for which there is a Biological Exposure Index or Indices (see BEI® section) Confirmed animal carcinogen with unknown relevance to humans

TLV® (Inhalation): 20 ppm; USA (ACGIH)

OSHA Annotated Table Z-1, [www.osha.gov](http://www.osha.gov)

### 8.2 Appropriate engineering controls

Use with adequate ventilation to maintain exposure limits below listed thresholds.

### 8.3 Individual protection measures, such as personal protective equipment (PPE)

#### Eye/face protection

Wear chemical splash goggles or face shield when using this product.

#### Skin protection

Wear protective rubber gloves and a long sleeved shirt to prevent contact.

# Safety Data Sheet

## StainSolve B

### Body protection

Wash thoroughly after use and before eating, smoking, or using the bathroom. Avoid contamination of clothing or shoes, and wash any contaminated items before reuse. If possible, avoid wearing contact lenses when using this product.

### Respiratory protection

If inhalable particles of dusts or mists may occur during use, wear NIOSH approved respiratory protection.

### Thermal hazards

No data available.

### Environmental exposure controls

Do not let product enter drains.

## SECTION 9: Physical and chemical properties

### Information on basic physical and chemical properties

Appearance/form (physical state, color, etc.)	Colorless Liquid
Odor	Citrus
Odor threshold	No data available.
pH	<11.5 (1% Solution)
Melting point/freezing point	N/A - <0°F
Initial boiling point and boiling range	N/A
Flash point	>74°F (23°C)
Evaporation rate	>1.0
Flammability (solid, gas)	N/A
Upper/lower flammability limits	N/A
Upper/lower explosive limits	No data available.
Vapor pressure	No data available.
Vapor density	>1.0
Relative density	<1.0
Solubility(ies)	Miscible (in 120°F Water)
Partition coefficient: n-octanol/water	No data available.
Auto-ignition temperature	No data available.
Decomposition temperature	No data available.
Viscosity	<1.0
Explosive properties	No data available.
Oxidizing properties	No data available.

### Other safety information

No data available.

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Product is not reactive under normal storage and usage conditions. Mix this product ONLY with water.

### 10.2 Chemical stability

Product is stable under normal storage and usage conditions.

### 10.3 Possibility of hazardous reactions

No data available.

### 10.4 Conditions to avoid

Heat, flames and sparks. Incompatible products. Keep away from open flames, hot surfaces and sources of ignition.

### 10.5 Incompatible materials

Strong oxidizers, bases and acids.

### 10.6 Hazardous decomposition products

None are expected under normal storage and usage conditions.

## **SECTION 11: Toxicological information**

### **Information on toxicological effects**

#### **Acute toxicity**

Eyes, Skin, Ingestion, Inhalation

#### **Skin corrosion/irritation**

Skin contact may cause irritation or pain and redness.

#### **Serious eye damage/irritation**

Eye contact may cause irritation or pain, redness and watering.

#### **Respiratory or skin sensitization**

Inhalation may cause coughing, choking and respiratory tract irritation.

#### **Germ cell mutagenicity**

No data available.

#### **Carcinogenicity**

This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

#### **Reproductive toxicity**

No data available.

#### **STOT-single exposure**

No data available.

#### **STOT-repeated exposure**

No data available.

#### **Aspiration hazard**

Ingestion may cause stomach and throat pain.

#### **Additional information**

No known significant effects or critical hazards.

## **SECTION 12: Ecological information**

### **Toxicity**

No specific data available for this mixture.

### **Persistence and degradability**

No data available on product

### **Bioaccumulative potential**

No data available on product

### **Mobility in soil**

No data available.

### **Results of PBT and vPvB assessment**

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

### **Other adverse effects**

No known significant effects or critical hazards.

## SECTION 13: Disposal considerations

### Disposal of the product

Avoid disposal of this product. Use complete contents according to directions. Do not release contents into a municipal sewer except through normal dilution and usage. Do not release contents onto the ground or into any body of water. Dispose of empty container by offering for recycling if available, or into a landfill. Follow all applicable state and local regulations.

### Disposal of contaminated packaging

Dispose of empty container by offering for recycling if available, or into a landfill. Follow all applicable state and local regulations.

## SECTION 14: Transport information

### DOT (US)

DOT Proper Shipping Name: NA 1993, Compounds, cleaning liquid, 3, PG III (Contains Petroleum Distillates)

**Note:** Certain package sizes of this product may qualify for exceptions to DOT's packaging, labeling and other requirements, and thus may have different DOT shipping names. For bulk shipments, see the shipping documents.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations specific for the product in question

#### SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

#### SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

Ethylene glycol monobutyl ether, CAS: 111-76-2

#### SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

#### Massachusetts Right To Know Components

Ethylene glycol monobutyl ether, CAS: 111-76-2

#### Pennsylvania Right To Know Components

Ethylene glycol monobutyl ether, CAS: 111-76-2

#### New Jersey Right To Know Components

Ethylene glycol monobutyl ether, CAS: 111-76-2

#### California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm

## SECTION 16: Other information

The information herein is believed to be correct, but is given without warranty or guaranty of any kind, express or implied. The hazards provided in this Safety Data Sheet apply to the product in its concentrated form, and may differ significantly after dilution.

### 16.1 Further information/disclaimer

**DISCLAIMER:** The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigation to determine the suitability of information for their particular purposes. In no event shall Crown Chemical, Inc. be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, whatsoever arising, even if Crown Chemical, Inc. has been advised of the possibility of such damages.